
OUTDOOR CARPORT / AWNING



The team you trust The products you count on



6 Benefits To Install Carport Features Of Materials

R Type Window Awning R Type Terrace Awning

CARPORT



Main Products





A6 Single Carport



Side Pull Carport



M Type Carport



Back Pul Carport



Main Products

6 Benefits To Install Carport



Protect car from wind and rain

It keeps car from rust and dust, last the car paint and life, to keep the car wellmaintained.



Strong roof sheet to provide your car a safer parking

The polycarbonate roof have strong impact strength, to prevent the car from destroying by falling objects.



Prevent from frosting and snowing

Good snow loading capacity to make your car safe and clean even in heavy snowy day.



Convenitent to get in and out especially in the bad weather No need to worry about getting wet and loading baggage.



To let the light in, but cut off the UV

It cuts off 100% harmful UV, to protect the car paint from bleaching.



Protect your car from temperature rising

It protects your car from direct sunlight and keeps your car a cooler inside temperature.

Cut off 98% UV,and protect people or vehicle from harmful UV rays.




It cuts off heat ray transmission by 75% and lower the interior temperature when a car is parked under the polycarbonate roof.

Choose Us, Choose Professional

Panel

Polycarbonate roof are made of Germany Bayer Material which can use more than 10 years







Snow load and wind load

Aluminum alloy structure and the combination of polycarbonate plate can load 20--50 cm snow. Resistance to 36m / s strong wind, significantly improve its wind resistance.



Features Of Materials

Aluminum

Use highy quality and environmental-friendly Alunminum which fulfills with the international




UV Resistance

There is Co-extrusion UV on the surface which can effectively block more than 98% UV rays.

A6 Single Carport





ALN-A6


Standard Size	5500 x 3000 x 2400/3000mm
Roof Material	Germany Bayer Polycarbonated Sheet
Color Options for Frame	White, Purple,Grey, Champagne
Color Options for Roof	Light/Dark Grey, Blue, Clear
Snow load	20-50cm
Window load	36m/s
Installation Way	Fixed on concrete ground or bury into the ground





M Type Carport






Standard Size	5500 x 6000 x 2400/3000mm, 5500 x 5600 x 2400/3000
Roof Material	Germany Bayer Polycarbonated Sheet
Color Options for Frame	White, Purple,Grey, Champagne
Color Options for Roof	Light/Dark Grey, Blue, Clear
Snow load	20-50cm
Window load	36m/s
Installation Way	Fixed on concrete ground or bury into the ground





Back Pull Carport





ALN-BP


Standard Size	3000 x 5500 x 2400mm	
Roof Material	Germany Bayer Polycarbonated Sheet	
Color Options for Frame	White, Purple,Grey, Champagne	
Color Options for Roof	Light/Dark Grey, Blue, Clear	
Snow load	20-50cm	
Window load	36m/s	
Installation Way	Bury into the ground	





Side Pull Carport






Standard Size	3000 x 5500 x 2200mm
Roof Material	Germany Bayer Polycarbonated Sheet
Color Options for Frame	Champagne
Color Options for Roof	Light/Dark Grey, Blue, Clear
Snow load	20-50cm
Window load	36m/s
Installation Way	Bury into the ground





Solar Carport





Standard Size	4057 x 6649 x 2400mm
Roof Material	Solar Panel
Color Options for Frame	Grey
Color Options for Roof	Grey
Snow load	50cm
Window load	40m/s
Installation Way	Bury into the ground
Features	Anti ging \ Wind and snow resistant \ Thermal insulation and waterproof \ Easily drainage \ Stable electricity \ Unique carport roof structure \ Elegant design \ Assembly structure





Partial Enlarged Detail

Color Options

Plycarbonate Sheet









Dark Grey

Light Grey

Blue

Clear

Aluminum Structure









White



















Display





R Type Window Awning






Standard Size	Customized	
Roof Material	Germany Bayer Polycarbonated Sheet	
Color Options for Frame	White, Purple, Grey, Champagne	
Color Options for Roof	Light/Dark Grey, Blue, Clear	
Snow load	20-50cm	
Window load	36m/s	
Installation Way	Fixed on concrete ground or bury into the ground	





R Type Terrace Awning







Customized
Germany Bayer Polycarbonated Sheet
White, Purple, Grey, Champagne
Light/Dark Grey, Blue, Clear
20-50cm
36m/s
Fixed on concrete ground or bury into the ground





Color Options






Dark Grey




Light Grey



Blue





Aluminum Structure







White



















The team you trust The products you count on